Titebond®
THE PRO'S ADVANTAGE

CONSTRUCTION ADHESIVES PRODUCT GUIDE



Titebond®
THE PRO'S ADVANTAGE

made in USA

Franklin International Columbus, Ohio 43207 614.443.0241 Technical Service 1.800.347.4583 © 2020 01391_4407bcm FF651



ONE TRUSTED SOURCE
TRUSTED BY PROFESSIONALS

Beginning with the development of the first ready-to-use liquid hide glue in 1935, Franklin International established itself as an innovative leader in the woodworking and construction industry. Today, under the Titebond brand, we offer several different construction adhesives designed for a variety of applications. Builders and contractors depend on Titebond to deliver the most consistent and highest performing products to meet their demands. Utilizing an array of five different adhesive technologies, Titebond construction adhesives are tough, high performing, exceptionally durable and trusted by the professional.

Titebond®

THE PRO'S ADVANTAGE

FAST SET

TITEGRAB

HEAVY DUTY

SUBFLOOR

DRYWALL

SPECIALTY

MULTI-USE

PANEL

MERCHANDISING

SKU INFO

FAST SET

Construction Adhesive

Titebond® Fast Set Polyurethane Adhesive is a one-component, advanced adhesive technology designed for the most demanding construction projects. It exhibits fast strength development and can bond non-porous materials together. Fast Set extrudes as a smooth bead that can be used in near-freezing temperatures.







Advanced Technology for Stronger Faster Results



ULTIMATE Polyurethane

- **Covered under the Lifetime Platinum Subfloor Warranty against subfloor squeaks and pops**
- Advanced adhesive technology designed to build strength faster and stronger than other common construction adhesives
- Bonds most wet, frozen and treated building materials, including non-porous substrates
- Smooth, flexible, full-bodied adhesive bead that offers a permanent bond with minimal shrinkage and does not become brittle and crack
- Ideal for demanding interior & exterior construction, installation and repair projects
- Exhibits a low odor and will not drool, leading to higher yield per cartridge
- Class 1/8in., Type P/O subfloor adhesive in accordance with ASTM D3498-19

Specifications:

- ASTM D3498-19
- APA AFG-01
- ASTM C557
- CAN/CGSB-71.25M
- CAN/CGSB-71.26M

VOC-COMPLIANT

Ordering Information:

- **10 oz. Cartridge** (Part # 4221)
  Case UPC - 10037083042211
  Case Weight - 11.91 Pounds
  108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 4222)
  Case UPC - 10037083042228
  Case Weight - 32.23 Pounds
  44 Packages Per Pallet



TITEGRAB

Construction Adhesive

Titebond® Ultimate TiteGrab Adhesive™ is an advanced polymer formula, specifically designed to decrease installation time of vertical and overhead applications with zero second instant grab. It holds heavy materials quickly, reducing time and amount of bracing, and ultimately achieves a strong, permanent bond to porous and non-porous substrates. This 100% waterproof, low odor formula is designed for both interior and exterior projects.



Bonds Most Materials Instantly Even on Vertical Surfaces



ULTIMATE Advanced Polymer

- Advanced polymer formula designed to instantly bond virtually any material to vertical and overhead surfaces
- Reduces time and amount of bracing, significantly decreasing installation times
- Exhibits zero second instant grab and builds strength faster than traditional adhesives
- Bonds to common building materials and repositionable up to 10 minutes
- Used for hanging fiberglass insulation 2x faster than other adhesives
- Can instantly adhere a 17 lb. paver on a vertical surface when applied properly using 2.5 inches of adhesive per pound

Premium TiteGrab Cartridge Gun (High Thrust Ratio of 25:1)

- Professional grade cartridge gun designed for TiteGrab Advanced Polymer Adhesive and high viscosity adhesives and sealants

Ordering Information:

- **9.5 oz. Cartridge** (Part # 6701)
  Case UPC - 10037083067016
  Case Weight - 13.64 Pounds
  132 Packages Per Pallet
- **11.6 oz. Cartridge Gun** (Part # 17843)
  UPC - 037083178432
  Case UPC - 10037083178439
  6 Units Per Case





Titebond®
THE PRO'S ADVANTAGE

HEAVY DUTY

Construction Adhesives

Titebond® offers three premium-grade heavy duty adhesive formulas for more demanding interior and exterior construction, installation and repair projects. They provide strong grab, fill gaps and irregularities, and will remain permanently flexible. These professional strength formulas bond to most common building materials and pass ASTM D3498, APA AFG-01 and ASTM C557.



Solvent-Based

- **Covered by the 50 Year Gold Subfloor Warranty against subfloor pops and squeaks**
- Strongest bond strength for the most demanding projects
- All weather, waterproof formula designed for extreme conditions
- Class 1/8in., Type P/O subfloor adhesive in accordance with ASTM D3498-19

Specifications:

- ASTM D3498-19
- APA AFG-01
- ASTM C557

Ordering Information:

- **10 oz. Cartridge** (Part # 5261)
  Case UPC - 10037083052616
  Case Weight - 10.11 Pounds
  108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5262)
  Case UPC - 10037083052623
  Case Weight - 26.69 Pounds
  44 Packages Per Pallet
- **5 Gallon Pail** (Part # 5267)
  UPC - 037083052671
  Case Weight - 48.54 Pounds
  36 Packages Per Pallet
- **52 Gallon Drum** (Part # 5268)
  Case Weight - 506.14 Pounds
  4 Packages Per Pallet

Best Choice for All Around Use



PROvantage
VOC-Compliant Solvent

- **Covered by the 50 Year Gold Subfloor Warranty against subfloor pops and squeaks**
- Strong, durable bond that adheres wet, frozen and treated lumber
- VOC-compliant in all 50 states and can be easily extruded down to 0°F

Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557

Ordering Information:

- **10 oz. Cartridge** (Part # 5251)
  Case UPC - 10037083052517
  Case Weight - 11.73 Pounds
  108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5252)
  Case UPC - 10037083052524
  Case Weight - 31.21 Pounds
  44 Packages Per Pallet

Best Choice for Extreme Temperatures



GREENchoice
Water-Based

- All-purpose versatility that adheres all common building materials
- Environmentally safe formulation that cures stronger than solvents and even the substrates themselves
- Cleans up easily with water in wet state

Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557

Ordering Information:

- **10 oz. Cartridge** (Part # 7471)
  Case UPC - 10037083074717
  Case Weight - 11.75 Pounds
  108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 7472)
  Case UPC - 10037083074724
  Case Weight - 31.48 Pounds
  44 Packages Per Pallet
- **3.5 Gallon Pail** (Part # 7479)
  UPC - 037083074796
  Case Weight - 41.28 Pounds
  36 Packages Per Pallet

Best Choice for Dry Conditions



Titebond®
THE PRO'S ADVANTAGE

SUBFLOOR

Construction Adhesives

Titebond's® subfloor line of adhesives offers three professional strength formulas specifically designed for subfloor installations and general plywood use. They provide a permanent bond that remains flexible and reduces nailing. They offer strong initial tack, excellent bond strength and exceed the requirements of ASTM D3498 and/or APA AFG-01.



Solvent-Based

- **Covered by the 25 Year Silver Subfloor Warranty against subfloor pops and squeaks**
- Designed for use in extreme weather conditions from 0-100°F
- Ideal for wet, frozen, engineered, ACA and CCA treated lumber
- Class 1/8in., Type P/O subfloor adhesive in accordance with ASTM D3498-19

Specifications:

- ASTM D3498-19
- APA AFG-01
- ASTM C557
- CAN/CGSB-71.25M
- CAN/CGSB-71.26M

Ordering Information:

- **10 oz. Cartridge** (Part # 5491)
  Case UPC - 10037083054917
  Case Weight - 10.91 Pounds
  108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5492)
  Case UPC - 10037083054924
  Case Weight - 28.92 Pounds
  44 Packages Per Pallet



PROvantage
VOC-Compliant Solvent

- **Covered by the 25 Year Silver Subfloor Warranty against subfloor pops and squeaks**
- Weatherproof formula that bridges gaps and irregularities in the subfloor
- VOC-compliant in all 50 states and can be easily extruded down to 0°F

Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557

Ordering Information:

- **10 oz. Cartridge** (Part # 5481)
  Case UPC - 10037083054818
  Case Weight - 11.71 Pounds
  108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5482)
  Case UPC - 10037083054825
  Case Weight - 31.15 Pounds
  44 Packages Per Pallet
- **52 Gallon Drum** (Part # 5488)
  Case Weight - 616.35 Pounds
  4 Packages Per Pallet



GREENchoice
Water-Based

- Reduces subfloor squeaks and the amount of nailing
- Highly water-resistant when dried and exhibits excellent aging qualities
- Environmentally safe formulation that is VOC-compliant and nonflammable

Specifications:

- APA AFG-01
- ASTM C557

Ordering Information:

- **28 oz. Cartridge** (Part # 4122)
  Case UPC - 10037083041221
  Case Weight - 31.34 Pounds
  44 Packages Per Pallet
- **52 Gallon Drum** (Part # 4128)
  Case Weight - 566.06 Pounds
  4 Packages Per Pallet



Titebond®
THE PRO'S ADVANTAGE

DRYWALL

Construction Adhesives

Titebond's® three drywall adhesive formulas are designed for installing drywall and paneling to most common building materials including wood and metal studs. They offer excellent adhesion, reduce fastener pops, and provide a "no sag" installation. Each adhesive exceeds the requirements of ASTM C557 and E72 for Racking and Shearing.



Solvent-Based

- Offers a strong initial tack that allows panels to be positioned quickly without slipping
- All weather formulation that fills gaps and irregularities in the substrates
- Ideal for use on metal studs

Specifications:

- ASTM C557
- E72 for Racking & Shearing
- CAN/CGSB-71.25M

Ordering Information:

- **28 oz. Cartridge** (Part # 5352)
  Case UPC - 10037083053521
  Case Weight - 31.21 Pounds
  44 Packages Per Pallet



PROvantage

VOC-Compliant Solvent

- Ideal for metal studs and fills irregularities between materials to provide a more solid backup surface
- VOC-compliant in all 50 states and moisture resistant
- Resists aging and will not become hard or brittle over time

Specifications:

- ASTM C557
- E72 for Racking & Shearing

Ordering Information:

- **28 oz. Cartridge** (Part # 5342)
  Case UPC - 10037083053422
  Case Weight - 31.21 Pounds
  44 Packages Per Pallet



GREENchoice

Water-Based

- Excellent adhesive strength on a variety of substrates
- No harsh odor; can be cleaned easily with water in wet state
- Environmentally safe formulation that is VOC-compliant and nonflammable

Specifications:

- ASTM C557
- E72 for Racking & Shearing

Ordering Information:

- **28 oz. Cartridge** (Part # 7272)
  Case UPC - 10037083072720
  Case Weight - 34.62 Pounds
  44 Packages Per Pallet



Titebond®
THE PRO'S ADVANTAGE

SPECIALTY

Construction Adhesives

Titebond aims to provide solutions to common construction applications which has led to the development of four specialty construction adhesive products. These products meet the needs of select construction projects by exhibiting performance properties specific to that application.



Solvent-Based

- Provides a strong, durable and permanent bond
- Adheres to wet and frozen landscape materials
- Resistant to water, frost and can be applied in extreme temperatures from 0-100°F

Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557

Ordering Information:

- **28 oz. Cartridge** (Part # 3132)
  Case UPC - 10037083031321
  Case Weight - 26.69 Pounds
  44 Packages Per Pallet



PROvantage

VOC-Compliant Solvent

- All weather formula to prevent shifting or loosening of substrates due to seasonal changes
- VOC-compliant in all 50 states and can be easily extruded down to 0°F
- Bridges gaps and is extremely effective when bonding irregular surfaces
- Designed for brick, stone, concrete, metal, wood, timber and slate

Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557

Ordering Information:

- **10 oz. Cartridge** (Part # 3121)
  Case UPC - 10037083331215
  Case Weight - 11.21 Pounds
  108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 3122)
  Case UPC - 10037083031222
  Case Weight - 29.75 Pounds
  44 Packages Per Pallet

Best Choice for Extreme Temperatures



GREENchoice

Water-Based

- Designed for quick and easy installation of rubber and vinyl cove bases
- Exhibits a fast, strong grab that holds materials in place and eliminates sagging
- Bonds to all common wall surfaces

Specifications:

- ASTM C557

Ordering Information:

- **10 oz. Cartridge** (Part # 3401)
  Case UPC - 10037083034018
  Case Weight - 12.99 Pounds
  108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 3402)
  Case UPC - 10037083034025
  Case Weight - 34.52 Pounds
  44 Packages Per Pallet
- **4 Gallon Pail** (Part # 3404)
  UPC - 037083034042
  Weight - 48.95 Pounds
  36 Packages Per Pallet

GREENchoice

Water-Based

- Designed for the safe and easy installation of acoustical ceiling tiles
- Exhibits a fast, strong grab that holds materials firmly in place and eliminates sagging
- Environmentally safe formulation that is VOC-compliant and nonflammable

Specifications:

- ASTM D-1779
- NFPA Class A Fire Rated
- Meets CHPS Low Emitting Material Credit

Ordering Information:

- **Gallon Pail** (Part # 2706)
  UPC - 037083027068
  Weight - 25.66 Pounds
  75 Packages Per Pallet
- **4 Gallon Pail** (Part # 2704)
  UPC - 037083027044
  Weight - 52.51 Pounds
  36 Packages Per Pallet



MULTI-USE

Construction Adhesives

Titebond® offers two versatile, multi-use formulas designed for general purpose applications. These formulas bond to a variety of common building materials and offer longer working times for precise assembly. These adhesives remain flexible throughout the life of the project.



Solvent-Based

- Ideal for both interior and exterior projects, including foamboard installation
- Highly water resistant and can easily be extruded down to 0°F
- Offers up to a 10 minute working time for precise placement of materials

Specifications:

- APA AFG-01
- ASTM C557

Ordering Information:

- **10 oz. Cartridge** (Part # 3451)
  Case UPC - 10037083034513
  Case Weight - 11.1 Pounds
  108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 3452)
  Case UPC - 10037083034520
  Case Weight - 29.31 Pounds
  44 Packages Per Pallet
- **52 Gallon Drum** (Part # 3458)
  Weight - 564.26 Pounds
  4 Packages Per Pallet



Titebond®
THE PRO'S ADVANTAGE



GREENchoice

Water-Based

- No odor formula ideal for a variety of interior applications
- Bonds common building materials including foamboard, plastics and tub surrounds
- Environmentally safe formulation that is VOC-compliant and nonflammable

Specifications:

- ASTM C557

VOC-COMPLIANT

Ordering Information:

- **10 oz. Cartridge** (Part # 5311)
  Case UPC - 10037083053118
  Case Weight - 13.1 Pounds
  108 Packages Per Pallet



Titebond®
THE PRO'S ADVANTAGE

PANEL

Construction Adhesives

Titebond offers three panel adhesive formulations to bond to a variety of substrates while exceeding the needs of panel installers. Each formulation offers a fast initial grab and moderate working time–giving installers the time they need to accurately trowel and place each panel. All three adhesives exceed ASTM C557, while Advanced Polymer Panel and Fast Grab FRP meet LEED v4, the highest green building benchmark.

Solvent-Based

- Versatile, high-quality adhesive designed for the installation of a variety of paneling materials
- Provides excellent water-resistance and is unaffected by moisture and high humidity
- Trowels easily and offers a 30-minutes working time for precise placement of materials

Specifications:

- ASTM C557

Ordering Information:

- **5 Gallon Pail** (Part # 3227)
  UPC - 037083032277
  Weight - 57.17 Pounds
  36 Packages Per Pallet



GREENchoice

Advanced Polymer

- Advanced polymer, 100% solids formula that can bond virtually any material and is designed for a wide range of paneling installations
- Recommended for painted surfaces, existing FRP and paneling, mirrors, plastic, ceramic tile, wallpaper & more
- Exhibits a fast grab, trowels easily and has a rapid cure rate
- Moisture, mold and mildew resistant with no offensive odor
- One Pouch Per Panel - Innovative pouch packaging yields enough adhesive to cover a 4' x 8' panel

Specifications:

- NAHB Green Building
- LEED v4 / SCAQMD / CARB
- NFPA Class A Fire Rated
- ASTM C557

VOC-COMPLIANT

Ordering Information:

- **3.5 Gallon Pail** (Part # 4319)
  UPC - 037083043198
  Weight - 42.79 Pounds
  36 Packages Per Pallet
- **6 - 1/2 Gallon Pouches** (Part # 4315)
  Case UPC - 10037083043157
  Weight - 55.31 Pounds
  36 Packages Per Pallet



GREENchoice

Water-Based

- Professional strength formula for the installation of FRP (fiber-reinforced plastics) panels over most porous surfaces
- Fast initial grab that reduces the need for extended bracing
- Nonflammable, no offensive odor and cleans easily with water when wet
- Cartridge offers easy application for small jobs and precise handling

Specifications:

- NAHB Green Building
- LEED v4 / SCAQMD / CARB
- NFPA Class A Fire Rated
- FDA and CFIA for Indirect Food Contact
- ASTM C557

VOC-COMPLIANT

Ordering Information:

- **28 oz. Cartridge** (Part # 4052)
  Case UPC - 10037083040521
  Case Weight - 34.63 Pounds
  44 Packages Per Pallet
- **Gallon Pail** (Part # 4056)
  UPC - 037083040562
  Weight - 24.7 Pounds
  75 Packages Per Pallet
- **4 Gallon Pail** (Part # 4054)
  UPC - 037083040548
  Weight - 50.58 Pounds
  36 Packages Per Pallet





Titebond®
THE PRO'S ADVANTAGE

MERCHANDISING

Titebond offers a variety of merchandising opportunities to assist in the marketing, display and promotion of our construction adhesives offerings in store. These merchandisers are available to all customers and a Titebond representative will be able to order any of the materials shown below and assist in the set-up of any item. All items can be combined to best fit the needs of individual stores and situations.

All merchandisers are ordered on a first come, first serve basis while supplies lasts. Additional lead time should be expected if items are on back order.



Vinyl Banner (60″w x 24″h)
Can be displayed in-store to showcase the Titebond brand of construction adhesives



10oz. Vertical Pusher Rack (12″w x 7″h x 14″d) **Order #** - 17986
Five row pusher rack that holds 30 cartridges



Counter Mat (18″w x 12″h)
Display the Titebond construction adhesive line on counter space



Adhesive Pallet Corners (2 per pallet)
Fast Set product specific and Titebond branded pallet corners
10 oz. Fast Set Mini Pallet (27 cases) - 4221MP / 28 oz. Fast Set Mini Pallet (12 cases) - 4222MP



Chain Signs
Available on the online store



Demo Boards
Available on the online store



10 oz. Cartridge Bin Basket (12″w x 8″h x 15.25″d) **Order #** - 17977
One size fits all 10 oz. cartridges



28 oz. Cartridge Bin Basket (18″w x 8″h x 15.25″d) **Order #** - 17956
One size fits all 28 oz. cartridges



10 oz. Shelf Cards (12″w x 3″h)
Graphic cards that can be inserted into 10 oz. Vertical Pusher Racks and 10 oz. Cartridge Bin Baskets



28 oz. Shelf Cards (17.75″w x 3″h)
Graphic cards that can be inserted into 28 oz. Cartridge Bin Baskets

SKU INFO

The chart below includes detailed information on each construction adhesive SKU to help guide the ordering process. Please contact your local Titebond representative or Titebond Customer Service at 1.800.669.4583 or concustserv@franklininternational.com for questions or order placement.

	ADHESIVE NAME	PRODUCT NUMBER	PRODUCT UPC	CASE UPC	CASE QUANTITY	PRODUCT WEIGHT (Pounds)	CASE LENGTH (Inches)	CASE WIDTH (Inches)	CASE HEIGHT (Inches)	SHELF LIFE (Months)	PALLET QUANTITY	PALLET WEIGHT (Pounds)
Solvent-Based	TB Solvent-Based Heavy Duty (10 oz)	5261	0 37083 05261 9	100 37083 05261 6	12	10.11	8.125	6.25	11.63	18	108	1091.88
	TB Solvent-Based Heavy Duty (28 oz)	5262	0 37083 05262 6	100 37083 05262 3	12	26.69	8.125	10.75	16.75	18	44	1174.36
	TB Solvent-Based Heavy Duty (5 Gallon)	5267	0 37083 05267 1	N/A	1	48.54	12	12	14.5	18	36	1747.44
	TB Solvent-Based Subfloor (10 oz)	5491	0 37083 05491 0	100 37083 05491 7	12	10.91	8.125	6.25	11.63	18	108	1178.28
	TB Solvent-Based Subfloor (28 oz)	5492	0 37083 05492 7	100 37083 05492 4	12	28.92	8.125	10.75	16.75	18	44	1272.48
	TB Solvent-Based All Purpose (10 oz)	3451	0 37083 03451 6	100 37083 03451 3	12	11.1	8.125	6.25	12	18	108	1198.8
	TB Solvent-Based All Purpose (28 oz)	3452	0 37083 03452 3	100 37083 03452 0	12	29.31	8.125	10.75	16.75	18	44	1289.64
	TB Solvent-Based Drywall (28 oz)	5352	0 37083 05352 4	100 37083 05352 1	12	31.21	8.125	10.75	16.75	18	44	1373.24
	TB Solvent-Based Landscape (28 oz)	3132	0 37083 03132 4	100 37083 03132 1	12	26.69	8.125	10.75	16.75	18	44	1174.36
	TB Solvent-Based FRP (5 Gallon)	3227	0 37083 03227 7	N/A	1	57.17	12	12	14.5	24	36	2058.12
PROvantage VOC-Compliant Solvent	TB PROvantage Heavy Duty (10 oz)	5251	0 37083 05251 0	100 37083 05251 7	12	11.73	8.125	6.25	11.63	18	108	1266.84
	TB PROvantage Heavy Duty (28 oz)	5252	0 37083 05252 7	100 37083 05252 4	12	31.21	8.125	10.75	16.75	18	44	1248.4
	TB PROvantage Drywall (28 oz)	5342	0 37083 05342 5	100 37083 05342 2	12	31.21	8.125	10.75	16.75	18	44	1248.4
	TB PROvantage Subfloor (10 oz)	5481	0 37083 05481 1	100 37083 05481 8	12	11.71	8.125	6.25	11.63	18	108	1264.68
	TB PROvantage Subfloor (28 oz)	5482	0 37083 05482 8	100 37083 05482 5	12	31.15	8.125	10.75	16.75	18	44	1246
	TB PROvantage Landscape (10 oz)	3121	0 37083 03121 8	10037083031215	12	11.21	8.125	6.25	11.63	18	108	1210.68
	TB PROvantage Landscape (28 oz)	3122	0 37083 03122 5	10037083031222	12	29.75	8.125	10.75	16.75	18	44	1309
GREENchoice Water-Based	TB GREENChoice Heavy Duty (10 oz)	7471	0 37083 07471 0	100 37083 07471 7	12	11.75	8.125	6.25	11.63	18	108	1269
	TB GREENChoice Heavy Duty (28 oz)	7472	0 37083 07472 7	100 37083 07472 4	12	31.48	8.125	10.75	16.75	18	44	1385.12
	TB GREENChoice Heavy Duty (3.5 Gallon)	7479	0 37083 07479 6	N/A	1	41.28	12.5	12.5	11.75	18	36	1486.08
	TB GREENChoice Drywall (28 oz)	7272	0 37083 07272 3	100 37083 07272 0	12	34.62	8.125	10.75	16.75	24	44	1523.28
	TB GREENChoice Subfloor (28 oz)	4122	0 37083 04122 4	100 37083 04122 1	12	31.34	8.125	10.75	16.75	18	44	1378.96
	TB GREENChoice Cove Base (10 oz)	3401	0 37083 03401 1	100 37083 03401 8	12	12.99	8.125	6.25	12	18	108	1402.92
	TB GREENChoice Cove Base (28 oz)	3402	037083 03402 8	100 37083 03402 5	12	34.5	8.125	10.75	16.75	18	44	1518
	TB GREENChoice Cove Base (4 Gallon)	3404	0 37083 03404 2	N/A	1	48.95	12.5	12.5	13.75	18	36	1762.2
	TB GREENChoice Projects (10 oz)	4121	0 37083 04121 7	100 37083 04121 4	12	13.1	8.125	6.25	11.63	18	108	1414.8
	TB GREENchoice Fast-Grab FRP w/ Applicator (28 oz)	4052	0 37083 04052 4	100 37083 04052 1	12	34.63	8.25	10.75	16.5	24	44	1523.72
	TB GREENchoice Fast Grab FRP (4 Gallon)	4054	0 37083 04054 8	N/A	1	50.58	12.5	12.5	13.75	24	36	1820.88
	TB GREENchoice Fast Grab FRP (Gallon)	4056	0 37083 04056 2	100 37083 04056 9	2	24.7	15.75	8	8.5	24	75	1852.5
	TB GREENchoice Acoustical Ceiling Tile (4 Gallon)	2704	0 37083 02704 4	N/A	1	52.51	12.5	12.5	13.75	24	36	1890.36
	TB GREENchoice Acoustical Ceiling Tile (Gallon)	2706	0 37083 02706 8	100 37083 02706 5	2	25.66	13.25	6.75	7.563	24	75	1925.5
	TB GREENchoice Advanced Polymer Panel (3.5 Gallon)	4319	0 37083 04319 8	100 37083 04319 8	1	47.5	12.5	12.5	11.75	12	36	1710
	TB GREENChoice Advanced Polymer Panel (6 - 1/2 Gallon Pouches)	4315	0 37083 04315 0	100 37083 04315 7	6	55.31	12.5	12.5	13.75	24	36	1991.16
	TB Fast Set Polyurethane (10 oz)	4221	0 37083 04221 4	100 37083 04221 1	12	11.91	8.125	6.25	12	12	108	1286.28
	TB Fast Set Polyurethane (28 oz)	4222	0 37083 04222 1	100 37083 04222 8	12	32.23	8.125	10.75	16.75	12	44	1418.12
	TB TiteGrab Advanced Polymer (9.5 oz)	6701	0 37083 06701 9	100 37083 06701 6	12	13.64	6.5	8.25	9.5	12	132	1800.48